

Recombinant Human FABP5

Type:	Recombinant	Cat. No.:	41040
Tag:	His	Size:	0.1 mg
Source:	E.Coli	Purity:	>95%
Other names:	E-FABP; PA-FABP	Species:	Human

Introduction to the Molecule

The fatty-acid-binding proteins (FABPs) are a family of carrier proteins for fatty acids and other lipophilic substances such as eicosanoids and retinoids. These proteins are thought to facilitate the transfer of fatty acids between extra- and intracellular membranes. The fatty acid binding protein 4 (FABP-4) and fatty acid binding protein 5 (FABP5) are closely related and both are expressed in adipocytes. Mice with targeted disruption of FABP-4 accompany FABP-5 almost completely protect against diet-induced obesity, insulin resistance, dyslipidemia, type 2 diabetes, and fatty liver disease. While mice over expressing FABP5 in adipose have reduced insulin sensitivity.

Description

Total 162 AA. Mw: 18.4 kDa (calculated). N-terminal His-tag and TEV cleavage site, 28 extra AA (highlighted).

Amino Acid Sequence

MSYYHHHHHH	DYDIPTTENL	YFQGAMGS	ATVQQLEGR	WRLVDSKGF
EYMKELGVGI	ALRKMAMAK	PDCIITCDGK	NLTIKTESTL	KTTQFSCTLG
EKFEETTADG	RKTQTVCNFT	DGALVQHQEW	DGKESTITRK	LKDGKLVVEC
VMNNVTCTRI	YEKVE			

Formulation

Filtered (0.22 µm) and lyophilized in 1 mg/mL in PBS.

Reconstitution

Add deionized water to prepare a working stock solution of approximately 1 mg/mL and let the lyophilized pellet dissolve completely.

Storage

Store lyophilized protein at -20°C. Aliquot reconstituted protein and store at -80°C. Avoid repeated freezing /thawing cycles.

Applications


Western blotting

Quality Control Test

BCA to determine quantity of the protein.

SDS PAGE to determine purity of the protein.

SDS-PAGE gel



L8-37, Laboratory Block, The University of Hong Kong, 21 Sassoon Road, Hong Kong

Tel: ++852-2819-9743

Fax: ++852-2816-2095

E-mail: antibody@hku.hk

Web site: www.antibody.hku.hk